


7665, ii

178

He has the kindness of sending me  
 affix that I am aware of the value of a  
 currency which may be kept with in the mind  
 that such materials are all of the greater  
 worth of your or that in the trials consequent upon

**T. J. & J. SMITH'S**  
**IMPROVED**  **PATENT**  
**IVORY** **SURFACE**  
**METALLIC**

**MEMORANDUM BOOKS,**

Have an established reputation in all  
 parts of the world for the excellence of  
 the Metallic Paper and the INDELIBLE  
 character given to the writing by the  
 ever-pointed pencil.

They are produced in a great variety  
 of sizes suitable for business or private  
 memoranda, and are also ruled for  
 British or Foreign Currency, Survey-  
 ing and Measuring, &c., &c.

**MANUFACTURED BY**  
**T. J. & J. SMITH, LONDON,**

**AND SOLD BY**  
 the principal Stationers of the United  
 Kingdom, the Continent, America,  
 and the Colonies.

**II.**  
**7665**

20 up Phillis Place

88 Canby St.

Ken

Huntley Arms Hotel

Aboyne Aberdeen  
 Scotland

133 522nd

Hotel Sleptan

Formals Stachus

1 Karl Platz

München

For August 1888 Gen. account.

I Ludwig 401 Reg. inst. & small balance  
(1) List of London of 1888 on London  
by 1/2  
c. 1/2  
d. 1/2

II Leuchter

59 Rauch.

III Wagner

Ann. Mac Gill Coll.

59 Seabell

Mr. Mason

Flora

Wunder




FROM  
THE LIBRARY  
OF  
SIR WILLIAM OSLER, BART.  
OXFORD

7665 //



FROM  
THE LIBRARY  
OF  
SIR WILLIAM OSLER, BART.  
OXFORD

7665 II




III, 4th row 7th, 5th row end




III 5th row, 4th, in 3rd slide







*Disterna uncinata.*







16/8

Ascaris after in alcohol carmine . . x  
then in abs of alcohol -

- (1) in Benzole - heat to 60-60 R  
never over - add paraffine gradually  
until all infiltrated with . . . more paraffine
- (2) embedded in paraffine - add a little  
wax to the paraffine -
- (3) cut sections - which are  
In all the cuts put in paraffine  
then build up the mass about the piece
- (4) Smear a glass - trough with shellac
- (5) Then with the oil. Carzophyll
- (6) lighter red



addresses - Phil.

Alex. Glass 1711 Chestnut St.

Radson 134 N 10th St

Brown 1531 Chestnut

1814 Locust.

Starr

1922 Spruce.

Randolph 1620 Chestnut

Allan 117 S. 20th.



above 7th  
Tides & Bulletin

Summit - Chestnut } between  
Walnut } Bd 720  
Spruce }

10th just above spruce

near / / D. McCombs

15<sup>th</sup> St. S. 229 3 R. B45

15<sup>th</sup> St. N Walnut 3. inf. 850 ft

~~1623 Pine~~

1806 Chestnut

120 N 12<sup>th</sup>

W Harlan

~~1921 Chestnut~~

~~1223 Chestnut~~

~~2045 Chestnut~~

9 25- Pine

1901 Chestnut

✓ 1226 Walnut 9085-2. 10 ft me

Lock box 65 Phila Po

13.1 S 15<sup>th</sup> V - -


1810 Chestnut

~~1407 Chestnut~~

1415 Walnut - up stairs -

1342 Spruce

~~1810 Chestnut~~





16 00 sat

5 00

6 00 Pull per

3 50 percent

30 50

2 00 pull

16 00

5 00

3 50

D Ardagh.

- Collingwood -

15 85 0  
2  
28 10 0  
78 00  
55 00

morning - D Shepherd

Sunday eve W Wilson

Deciduous of Current year 1814

Thursday - Pull per

Monen 25 id 6.30 1814 board

Sunday 7.30 Hays



Went  
Thursday 5 - Dr Tufte

Last solutions for Tubercle  
bacillus - Pirke -

Kinlock -

S.S. certificate. 83 -

- Monday - Eve - Dr Buller  
Morn W. Blackledge

Saturday - Dr Shepherd

Sunday Eve. W. Wilson

St. Andrew's of Plover, per Capt

Thursday - Pullinger

Bonnie 25rd 6.30 1814 Board

Sunday 7.30 Hays





Pursh - he had exp.

(1) Pr Despoids case.

2. Otto again for bleed

3 Copy the yfation case.

4 See Hatcher. Tr. St Med

- or. N. Y. 1877. p 207

5 See Quin again str. No of cases  
of "fur + 40 cases

Then

The spleen & other - second

The affect of purg in blood. - Gump  
Varrot. On Role pathog.

des Lésions vasculaires et  
sanguinaires dans la leucog.

1882



Christensen. M. J. M. S. 1882. 1845. V  
Comgan. D. and J. M. S. 1882. 1845. V  
D. and J. M. S. 1882. 1845. V  
D. and J. M. S. 1882. 1845. V

Forbes. 2d Med. J. 1878. 23. 673  
Hurd. Med. Record 1883. 24. 422, 537  
Latham. Am. Med. J. 1883. 1. 27, 52, 75  
Robinson. Med. Record 1880. 18. 713  
Rockwell. 1879. 619  
Supple. + Ziemer

Madison. du. Cam. 1882 p. 232


Paraly. of the entire system

lesion of the reflex arc of the med.

Decasne. S. & M. J. 1882. 1845. V

21. of entire of the entire.

(1) also of the entire of the entire.  
Slightly delayed





Too great confidence of the heart would

The def below the both good &

used up for the best -

See says that faithful per see

do not lead to my perhaps


curer in wh there there been faithful

for you & at and no hyper

See about the part to paralyze of

the lagoon in say of the med

Sexual influences



July, 18.

Wagner

I Ch. <sup>56.</sup> emphysema. - & ch bronchitis  
& urine normal, but has had a c. bright.


Remarkable enlargement of abd veins  
- considerable at of breath. Neck dist  
veins ext. jug. Thorax just devel. Slant  
moves in manner. Heart not to see. Peric  
gumche. cough many stark. Sph. mucous.  
Pulse full - art. large. Ch arteries & also rose  
& pers. hyper of rt & left vent. Has slanting  
in whole body. In abd. seen Kocher's dist  
of veins in abd. & lower thro. Extreme varicosity  
where runs the blood? hard to say such  
not cure. that prov. gives no idea. Possibly  
a vein finally. circumstance.  
See part in veins. Saph. There is an  
heredity and present which.

II. Woman, 43. no anamnesis. h. 19 lt.  
Ga. thermal. since then very blph  
& short. breath. no swelling of feet. H. affe.  
24 years. 23 Dec 82. sudd. death,  
attack. The left half of body paralyzed in  
own improved in leg. Left arm remains  
immovable. could get about but no. he had  
Feb. shortness of breath & cough. swelling of  
feet. 9th oliguria & on 21st April got  
about no breathing dist. alt. dyspnea. Came  
18 June death a no. & on 25th of June  
again 91- dyspnea. & 27th a sudden  
attack of left-sided spasm & loss of consciousness.





has remained so & also fever.  
Pat. bewitched, no edema. no cyanosis.  
Face a little dusky a little icteric - probably  
the pseudo-icteric of Ch. Merv. cond.  
Face & head towards the rt side. Eyes  
against the left - conjug. deviat. - pupils  
equal. not very mobile. Left jaw a little  
swollen. To see if there is paralysis  
beneath the jaw. no movement. Possibly  
both sides are a little par. & a schaff.  
No nachschlagen. Sound the left.  
Thorax. Left side atheromatous.  
Heart - apex - twister mark thick. not  
regular. & impulse strong. Double early  
beat. irregular. left arm. contracted. The  
fingers. & wrist retained.  
left leg also contracted. cannot bend it readily  
on the left side Lähmung & shock contraction. Occas  
spasms. Only once today the right side  
seems affected. In rt leg. is also bit a little  
can be moved. Skin reflexes. dimmed.  
An old hemiplegia with a recent attack. In that of  
the 23<sup>rd</sup> there were spasms - Fever to 40° & more.  
Spulse. Stitches breathing came on.  
What in the brain? Former attacks. whether  
hem or embol not the said.  
On the left side. contract. movement. very  
unlike. A paralyzed side. yet movements.  
Possibly. Grasp that arm entirely on same side  
a reactive. recept in the region of the old  
scar. In the hindwings. Glaring only on  
subject. a recent car pin of movement  
local. cont. of no rest. a reactive. recept  
so late or rare. may be another embolus  
now in the gvt. part of which supplies.




the motor centres.  
3 may be in the left ventricle. & then  
we often see an analog effect on cortex  
control & limb.  
The coma - not often but unless large -  
a great clot. engrosses or in the left vent. &  
comp of the brain -  
Coma to be from the Pons? a local lesion  
could not have caused it in the 21st.  
The coma - is against it.

Trapper

July 2nd.

- (1) Organs of child on 28th cap B & A  
(2) Girl, 21. well until the 30th.  
an acute pharynx - T 39.5 - P. rapid  
a case of lacunar bronchitis  
always in these cases be careful of S. aureus -  
but usually there is - S. f. a deeper affect
- (3) child 2 1/2 yrs - Mr. Mrs. Phelan, in Barack  
7 x S. healthy. 3 weeks too early - 16 weeks ago  
whooping cough. Pale. Small. Head a little  
large. the 8th fontanel. wide open. R. femur. closed  
Face mottled. Teeth ~~just~~ all bad above. Chest  
breathless - *Rectus carinatum*  
Laterally compressed & just behind it is expanded  
Rachiticus, epiphyseus. Breathing. dyspnoea  
Belly enlarged. too large & too soft. Epiphys not  
developed - liver a little large. Stools at 6. having  
Enteritis. enlarged Epiphys. so green. dropped stool.  
cannot yet stand. - head can little bend  
Rachitis. age. end of 1st to 5-6 years






may be longer. The fat of the mother  
is chert. (31) The white supp. of the child. Open  
fontat. bad belt. tho all pres. Pneis.  
pectus Carinatus. Belly full.  
ext. the child crying. & & vor allen  
no attempts at walking. a little banding  
nach aussen -

(44) 2 yr old child Par. healthy. ch  
always healthy. Larger than the other.  
Pance. adipos. - Skull gros. - a little hydro-  
ceph. Font not open. but thick behind.  
\* Thorax - here a full lung & heart normal.  
Belly very large - not to feel anything.  
Between the vert. are bowed in lower  
dorsal & not normal mobile & possibly  
a spindilis. Spasms. Glott. was  
present, now gone - Extrem. especially the  
diplegia - also an emboggen of the  
fore arm. cannot walk.  
Painful if moved sometimes -  
The lack of desire to walk - People think of  
this & Engische Krampf - more because  
it was first described there.

a no of cure - complete recover. all des.  
of the ch are more severe & a no of des in  
direct relation. Some cases attack the spine  
& may have bowing & Kyphos & Kyphoscoliose.  
In treatment the walking. In many better  
classes - often depr of good air. bad ventile  
& fear of giving the child cold.

(2) The Lebensweise. apply to no. give also  
some - The stand - stand or crush



The early flesh diet for the end of  
the first year an import-aid.

Treatment. All the case here. fresh air &  
Good nourishment. Careful of diarrhoea  
- the first appearing. Kalk. here is an  
aquacutis in the milk. Bones are  
def in chalk. But also man has found  
the same in rich in chalk.

In each case there is melanosis of  
small teeth after large. and pieces  
in give milk with Kalk waxes. No  
sugar - no potatoes. give milk & meat  
agua calc. Mag. usta Mag. carbonic  
Phosphor when over with Phos - the bones  
more compact & the med. tube smaller  
1 Rascovitz 1 Phos 1/2 nutmeg -  
ext. results had.

Springs of Platyse. Saw

last man in Toronto 19/6/84

Wirt. Krankheiten  
der Arbeiter

Nicolaides.

gr destruction of red corpuscles in the  
a diff bet Polr. & hep. of 1000000 in  
low a blood rabbit dog cat



Tobacco references

L. 1/57 p 179: Vide index 2/72 789

Hammont R. 1/58. p 387

Decourse T. 2/68 p 71 ✓

Richardson. M R. 1/61, 138 / 2/63. 11  
m R. 2/75. 234

T. 2/69 279 not of hand

J. 1/79. 337

L 1/80, 284 152

On Heart.

Rougst. R. 1/61. 330

Smith L 1/63 292 ✓


R. 1/65 p 121

T 1/78 112 ✓

L. 2/78 266

See J 1/80 p 26. J. 1/80. 484

L 1/80 703 & 863



R. 1/45 p 73

Mr R. 2/57 169

Lan et 1872 Nov 30

190 de voir 16 chens  
p can. l'ing t. divy  
Bulletin de l'association  
Francaise contre l'abus  
du Tabac et des Boissons  
alcoholiques

Capt Eads

rock 90 ft below the surface

352 men many little affected. 12 deaths

Pain in ears

Paralysis of the lower limbs at 60 feet  
arms unaltered

Pain in joints

Many suffer no pain


watch 3-4 in & then not feel how watch  
in the ear-chamber


50 W & the □

In A.P. 160 men. 2-3 almost

51 rheumatic Pain in joints







Proz. Perm. anam.

Russ. Arch. f. Gynecologie 1871

Echors. P. Palm Leipzig Vert & Co 1877

Annals of Berzelius

Archiv gen. 7. ver. 1. 666 pag 1876

Leuchte. V. Vorlage 100

Lebert. Of his life. Refers to his  
Essential Axioms 1853.

Med News for Pusepa Anemia

Transfusion & Plethora.

Christiane worm Muller 1875  
moriez

La Chlorose, Paris, Mars 1880

Leans de Path. compare.

Sunday: arrival 1882





to see ab. Hall.

✓ 1 Auerbeck. m address Krankh.

2 Schmidt's fr Bd 142. Pgs.

" " " 154

168

3 Withnagel. Zeit. Klin med 11, 577, 79

4 Riesel. D. A. K. M. 1870, XI, VII

(5) Dictionnaire encyclopedique

(6) Intern. med. Cong. 1881

(7) Rentein v. ar. 50 & 51

V. A. 29

Arnold v. ar. 33, 102

Munich, -

Index med. -

- Lancet

Wiener Klinik VI. 8 & 9. Aug. 1880. 5 Chvostek

Halle Hospital Reports 1823 Dr Scholl

Freiburg -

St. Petersburg - Real encyclopedie

Lutbinoff. Quoted in Dub. found Aug 1882.

250 cases of



1 heart

2.

3 cause of death in the peritonitis -

~~most~~<sup>of</sup> the cases of death are in the grey stage  
& some suppose that in the transition from  
the red to the grey hepatic a peritonitis produces

1 a case of Pneu after typhoid  
no diff from the other cases. Dysis -  
on 12th day of the dis the norm was  
reached

(2) P. with albumin

(3) Very soft unconsolid - for face to

with a knee - song on to toes

2 Res. were the fever:

Perfectly symmetrical descent of the process


4 Diabetes insipidus - had of 5 - had  
drunk much - after drink.

Ch. hydr. sparte. last - & polyuria  
Beard large - front. not open. Some  
Sord. - Excess of bile great

Polyuria one day 6000 cc 3-4 normal

No uric acid 1004 - sp gr -

Ch hydr water not of high grade dias new






abs. certain. Rach. schadel must  
be excluded.



normal



pathologic

Good course - asympt.

Gang - less exams - cleave like  
binder stiffness - Ch. by not always  
full of the spastic paraly

but somewhat a patient - dysph

L. breast - 5 - 6-8 ovs cc - all aden  
fled. Cause - transitory & aphonic

acute - Typhus in removal own

acute polymeric insufficiency in each

section usually - in high deg. probably

a ventr. from water bottles placed & after

when the animal bottles place the surplus

is discharged. Rare after other dis. without

sympt. <sup>(1) known</sup> Care when in a fairly

heredity - one found 1/4 of the members

with O. curip. (2) Brain effec - med. obl.

(3) Dysph. - mental obstruct. - acute drunk  
enact.



Valerian greatly recommended.

Wagner. 18/6/84

Morbus Brightii

5 $\frac{1}{2}$  years ago 16 weeks old at  
conf. & days after diff in urine only a few drops  
red. color. Typhoid abs. in Cervical swelling feet  
aborted... Reg march of this year oedema great  
has been several times since the 5 $\frac{1}{2}$  ago. In

March probably scarlet fever.

25 March came to Hospital

(1) Oedema. (2) Short Breath (3) Urine small  
in quantity often discharged.

Face not the usually pale color of

Oedema very great in legs. dry skin.

crust in thighs. Erythema & dermatitis

erythematous. Ton. Schwarz best. 94 oedema

in chest. Bronchitis - no positive sign

of pleurisy - Heart. no vis. hyp. Res. hyp.

Phys. bent. tones clear. - no cough.

Bauch - no vis. breast & abdominal. As int.

absent. - Since a month no menses

urine. S. exam. - tube lower body red

small. abundant. react - neutral. 1000

corpus, red with. tube casts few. colored.

little mucus - glaucomatous.

Quantity always small 2-4. & 00 - 1007-8-9

alb. color, 1/24 - 1/6 red.

20183-

2



Diagnosis. The Bright - hemorrhagic  
and so urine looks like urine of  
hem. neph. <sup>of scarlet fever</sup> - but. Microscop. not.

This is a ch. case.

Cystitis

Pyelitis - one sure <sup>does</sup> symptom <sup>not</sup> <sup>not</sup> <sup>only</sup>

pain in sacrum region - or one indicated

Together with the cyst, the catarrh, & the

Kidney disease in way may drag also pyel.

Microscop. - cells of pelvis.

Catarrh not always a accompan of these

cells. I understand that one can

diag. cyst- for pyelitis by these cells is

false. Brights disease. Urine acid.

Pyelitis also acid, Cystitis alkaline

If a cysto-pyelitis is sent - does it explain the

symptoms? No. Not the catarrh in the

cylinders. Must a Kidney disease -

what? In course with cysto pyel. is

very persistent.

Such large cylinders, only in the affect

of the pyramids. often in the

ext of muf for the pelvis - at the

ends of the tubes - being left unchanged

as to the kidney - disease.

sometimes tubes

Other disease - not ind. by cyst. In a case

of this picture differ from above - E. may be a cat  
fever - secondary.

(2) Man - acute Gastro - enteric -  
fever. 16th day. on 8th day intense  
colic at head. - in connect with  
an intestinal Typhoid almost unheard  
of. - no vomit. no spleen tumor  
Belly large yet. - not meteoric. but  
a belly of greater resistance - & the patient  
sane & doing completely of an extent  
- a pleurisy - but when all together  
things of Typhoid improbable. the  
colic at head. - &c. - May be improb.  
a Tub. of periton. & pleura - some  
possibly Tub. when in intestine. Time  
will tell.

(3) Man 40. double - long Phthisis  
Haemorrhage in legs - prothrombin -  
Ch - tuber. disease - just in the legs &  
in the skin

(4) Skin disease - old man - 4 months  
distant work.

(1) Man. med. build, Face pale. T.  
 etc. 39°. P. small, regular. Complains of  
 3rd day of disease. acute irregular fever -  
 every 24. not anything but the T. curves - the  
 4th 13th, 25th 35th

Recurrent: present - Spontaneous haematuria  
 1st T. of R. - goes up as in other. acute  
 aff. - ex. ex. - but keeps up  
 for a week - then - 8.7 8.0 - under  
 copious sweat - not

(2) Intermittent - a regular brand.

(C) Acute fever, T. may be regular, or  
 intermittent - many spots on the body  
 acute disease - may be suppression of urine

(d) Tuberculosis. such a T. has been  
 observed. It is possible here that in  
 a tub. trouble - class of such cases  
 may be tubercular process - then (1) melan.

(2) Tuberculosis

[2] Man. 25 years 3. pain in abdomen  
 Tumor in med. of abd. a little above  
 middle. He felt it & could push it up  
 much easier. Feb & m. 84. Bloodstools  
 bloody since 8 weeks to house - since  
 11th in hospital & vomiting 1 1/2 lbs



Yellow after it. Face dirty yellow  
Tongue clean - "End of tongue mirror  
of stomach". Belly full - caused the  
snack elsewhere. Left side more swollen  
Pulsation, a wavy movement when light  
percuss. Res. mass in left hypo. & great at navel  
& towards right hypoch., laterally tympanitic  
when turned in rt side. Dullness in & the  
reverse. Appetite good. B. good

Car. vent. operation. When a bat, that  
a fat lady after vomit, the skin is certainly  
normal. Dark stools. Iron - Her  
"man who says little while had a keen &  
when I asked him if he did not think  
the man he replied that he thought it  
probably normal as he was eating & well had  
a bleeding over the other tube."

Pec. curving of abd. Dil. magni drawn  
down & expanded. 2 method of diagnosis  
develop. CO<sub>2</sub> - good, often much constant  
& pain for days. (2) Sound & the Ruff  
pels. in the stomach blow out.

In vomiting the recumbent position is the best  
the med. in C. vent. very good. ~~Pain~~  
little at all time. of dilat. or not. so  
believe as possible of fluid & gas

Enduring. a good skin.

Tongue clean. but may be



(1) organ of a patient with ch. lung trouble  
any organs

Since March 81 May 82 better  
pulse, penetration, decrease of legs - & signs  
of left sided ch. Phth. Right side not affe  
Gang lymphatic nodules -

2. Man 24 years age 1 B. d. 1 B. d.

76, 79, 80, 81 - affect of left lung  
ch. lung trouble. Left sided. lung affe  
s alb. in m. - any food. Any  
may eat in after short interval. Prog. cough  
had. des. - No bacilli in sputum, In 82  
had swollen foot.

Remarkable that the alb. has disappeared  
permanently.

Thorus. spec. find. a little flat in left apex  
& def. Exp. aus. Heart scarcely visible  
no difference in percuss in front. Over appa  
lute, crep. rassel geräusche.

Behind in left other lobe time Kurzer  
independent rasselgeräusche. Cough - moist  
Esch. 1/2 times. mucous. string, & purulent  
neither Bacilli or short tissue found.

no any further. From lung.

Cough for 7 years duration. Not

allog. ice cream. 1st question is  
 is it Phthirus? Possibly. but no bacilli  
 in class. plates - It is no Phthirus. - What  
 is it? Upper tube: center smaller -  
 he has had been in  
 most bad anglerin - ch. w/pt.  
 the pleura - It is  
 we can draw from  
 also thickening of the  
 of not phthirus. perhaps  
 may indicate there  
 due to foreign  
 wound.



Possibly broncheat - but no sternal  
 phthirus - . Many live for years.  
 but here something else. . Betty some  
 broke - with all over same color, always  
 reduced. . sometimes increased. 1/4 - 1/3 - cylinders - now & then  
 due to the lung condition. Such can  
 common - color the paws in connection  
 with the air & much fine -  
 ch. paws, with tubercle & 2. relata  
 not seldom, suppur of the h - . no  
 tubercle - may also cause the unglyd  
 broncheat. Can be say with color  
 that it is anything? no - ch m. Por. -  
 of he had a large liver or spleen. Not common  
 that B. not because the absence of





Calling of patient - wooden dingy  
atmosphere. - Muller's barbers. & mullers  
a 2nd - plethoric trunk - must shape  
air stoves. & there small tubs in the  
lungs. Prognosis - if he in a southern  
climate - but no.

The subj. sensation of dysp. is not nearly so  
great in the dysp. of Emphy.

Therapie of Emphy. - 1. d. Cannot increase  
the elastic of the lung. It has. has cause  
of thorax in the moment when the  
expiration. - Mechan. - helps the expect.

(2) Mucous & finally it is so sticky -  
make it - Inhalation of Salt & water  
or Kohenstein's solution & Turpentine.

In case of this patient inhalation  
not sufficient. Form. Save a small  
& not bad. Expect. - Specia -  
Lug. acumin. Dec. Senega. Am. Carb.  
Opiales - if not sticky will cause  
what of chlor. ... good in some cases

(2) Man 37. Shrivens in  
cough esp. & short breath. no fever  
cyanotic. more than form -  
no edema - same as the - remarkable  
that with such remarkable overflow  
of cap. no dropsy. Viscerally  
not very enlarged <sup>but</sup> deep. & dense.



quest. but call. Spentum. was  
greenish & turbid - - Bacilli &  
clastic fibres - brown blood.

Phloem is certainly. & also lymphatics  
Branches also in the fine branches -  
the capillary branch up to recent & &  
any cause the most widened & open  
He has also in stone masses lying.  
Possibly a gangrenous branch. could  
be the cause of stunted much -  
He is also determined -

Monday 23

(1) Schlemmer's liver - flat - not so  
round as an enlarged & firm Fat.

Has a bladder - little & irregular

(1) trouble in passing, & irregular

& 2 proscopis - Not str alkal  
may be the proscopis for the pelvis

Press in near by from the same.

May be for calciculi - for 9 mm

Possibly tubercles as the common  
has done trouble

In the sediment of urine bladder  
calculus peculiar Schlemmer - & urine  
but -

To drag y tub - the bacilli is  
also inoculation - The positive  
finding of bacilli in some different  
cases lately one found, one not

Bladder washed out with acid and  
Hav been <sup>very</sup> the incontinence? By  
women common - with, perhaps

(2) Case already shown - dermatitis  
this is of after Scar fever



24th

(1) Old woman. Pain in side.

Shrt. breath. yellow colour. - a dent-  
cyanose on face. T. not much elevated  
Pulse irregular in highest degree; early collapse.  
With mod. T. & this pulse - some signif.  
R. 30. Per. & normal. R. distant  
at apex. & rapid pericard. & breathing  
and bronchial. R. other. Large rules  
H. no murmur. Noted distant one greater  
half of rt lung. Spate not characteristic  
Abt in colour - bile colour.

Diagnosis. Pneumonia. It is like  
Pneumonia - must think of an old condition

of the lung: . . . infelicit. ch. - not to  
be excluded. But history is against it  
would be answering  
or. May have a foreign body in the  
branch in form of pneumonia but  
we do not think.

The Idler & the alt. correspond.  
1st a pneumonia of 68 yrs old woman  
a ~~stating~~ disease at that age

The heart-weakness in relation  
the low temp. an indic. of danger  
Here the H. is dep. on age. The low  
T. may be due to a crisis coming  
In old people the pneum. may be  
febrile or the T. be very low

The course of pr. the 1st rule, 2nd & the

Res. (3) The Temp. & their

the complications. Scleritis or

Album. which here with a low

T. has a greater significance. An

infectious pneumonia. Prog. bad

The sudden course is not little in pneumonia

of old people as most often insidious

treatment. Heart-weakness & age-

stimulants. Phys. ext. & pharmacog.

alab. . . . Calophor & cotton. Shall

2. be given or Digitalis? Not now but

under the digitalis infus.



Pneumonia and St. Vincent's

(2) Man 44. Had been a soldier.

1 1/2 years Stomach affect - Girdle sensat-  
for 1/2 y. Since a year. Pains in legs  
Since 2 years duration

Eyes not partic. pupils a little wide  
When looks right the bulb moves a little back  
Any Robert Symptom not present.

Girdle pain very constant, but in  
evening worse. - no disturbance in legs or  
abdomen - a gang. besand. art. in Schinerz  
a little weakness of right arm. - Sensit.  
undent. - Formic. - parasthesia v.  
Subject. cold sensat. in rt. hand.

To test at ease of upper ext. close the  
eyes & let hand try to approach the index finger  
while stretching out the arm to full length  
Lower ext. motil. Power good  
Sensat. much reduced on foot soles  
Reflexes - Skin not changed. The lower  
ref. are heterogen. Gang. gang. charac-  
ter. - In cloudy but apart - eyes at  
bottom - y. looks up. sensory & pallid  
one of eyes closed. Still he looks to the ground and  
heavily (2) When still to support him -  
Stamping - sent. heels down but the  
Knee joint not entirely sound.



- (11) Remarks on Gray degeneration  
Sent mind specimens with a description  
have other cases

(14) 58 man. front difficult 5 years ago

Young as if - now 82 - Ampleans.  
chiefly of inability to use his feet well.  
no natural trouble. Forming double vision. The  
fact of 8th interest - unequal in eye of pupil  
both eye. - myopia. dot of reflex accommodation  
Bladder - formed in contin. now gone.  
Had to let water when he wakes

Girdle shivering - no lightning pains  
Power of arms decreased. numbness in the  
fingers. Vasomotor or trophic disorder  
cold - no cutaneous  
Lower Ext. R. weaker than weaker -  
Sensat of wood in feet. & dull

(15) from recent - not under

commonest - not. muscles alone  
normal. when one limb is placed in any  
position, patient can readjust but the  
other in the same. Malleus part.

but head in oppos. direction

Part - very char. wide face.

Lower probably

Spindle of art. used as more

Maybe come together. 5 or 6 cases in 74  
to not know. Mouth of not the T & the  
arteries must depend on 3rd nerve Sympathetic

to, or of a common cause. The two - as Syphilis.  
The above dis + lower neg part. also antea  
ance. Said that the English the the. Budo.  
and depended on the Hg.

III. Man. 40, not Syph. Some 1 year  
muscles infected + lacerated. no pains  
Powerful man. Sensor normal. Eyes  
no nystagmus. Pupils equal. After atrophy  
concomitant. Nystagmus beginning  
Distinct of speech. Peculiar, staccato, probably  
central. Tongue - thin. Hoarse, a coordinated  
disturbance of the tongue muscles either in  
the n. or centre or muscle. Thor. organs normal  
no gulde feet. Blood der normal. Arms. power  
giva - no sensory disturb. Legs. Power good  
sensat - not disturbed. Reflexes absent  
Pain sensat. retarded. Coordination much  
dist. Again heel in knee. excellent test  
when told to push the toes when the right was  
fixed + heel on foot. could not do it  
How is the test. for disturbed dist. pain  
highlighting - often the point. a known incident  
of the sensat. root + in cord (i.e. perit. painful  
sensat. in intercostal nerves. a 3rd sensat.  
of pain in arms + tingling + then cold  
+ loss of sensation. No knowledge of the  
position of their muscles.

III the motor disturbance. chiefly in sensat  
dist. + in the uncoordination.  
Trophic disturb. not common + Cheilite  
Nystagmus. 6 <sup>3</sup> areas out of 1 in which marked  
a combination of oc. motor.  
In Morphia such nystagmus very common

The Speech disorder - here dependent on  
bulbous trouble.

Probably the 3rd case may be, multiple  
sclerosis. Ch. poisoning by Ergot-  
Symptoms quite like Tabes & in 5 cases  
the same Path changes. In five  
minors a disease, which in certain cases  
very peculiar. & Westphal had never  
thought an Ch alcohol. & disorder in the  
vessels. Yet in very little Tabes  
a variety of Tabes in wh. the Sp cord  
normal & the peripheral nerves not  
affected. quite like Tab inf & others  
& disorder of coordination

Tabes peripherica - a neuritis

17. Tabes. young man

(1) absence of reflexes / spasmus in legs.  
tingles (3) bladder disturbance. (4) very  
slight - coordination. a little swinging  
but not much. Dies probably. An  
injection case.

- Ch. alcoholism & epilepsy.  
Mean brought in  
from street. quite blue. gasping looks  
moribund. Epileptic attacks & convulsions  
between. enters Althaus Hospital died  
Pat died say the son. no speech changes



an. arda

26th.


I. Man 52 - Parvul-alve old.

3/4 of year. cold in evening. Many  
hotter. - Came to W. 14 days - found in course  
of chest a gang settens. Zeiden  
Hersheit & shortness of breath. - Stimul. chest  
almost toneless voice. Palpat of the larynx  
often unpalp. - on one side no vibration  
on the other quite audible - may be  
either (1) due to larynx - (2) to larynx, there  
also a left sided recurrent paralysis  
also the left vocal cord is very atrophic & the  
right moved over the middle line

Cause (1) in brain where no impulse for the  
nucleus. (2) in the vagus stem (3) in the course  
of the fibres.

Inspection: pulsation neck a little strong  
Subclav. - not quite center of C. & S. pulsations  
quite equal. On Thorax. Subcut. nerve  
strong. & on left side most strong. Palpa. normal.  
Percuss.

H. unip. Dist. weak.

H. dullness a little increased. In such cases,  
being parvul. & then a dullness in  
also behind. Argent. both times clear  
a doublet.  Syst. & a more plain  
anterior. & over the

pulsation  
a eggshot size -  
Palpe  
large strongly illud regular.  
hearing  
On cruralis two  
nummular. - Syst. & deact. - no contact  
dife. between the noduli.

An mark of secundum. & lumb.  
An widening of the arch may be found.



Phrenic n. is very rarely affected - Vagus  
no paresthesia - a recurrent affection  
can be produced in another way, a living  
contraction may induce - Traube  
called attention to this - Recurrent labrum  
in acute aneurysm.

II. a recurrent Paralysis R. Man.  
Carcinoma aoroph. upper part.  
The C. a. sup. was at the right side  
extended & involved the n. & lymph  
glands are involved. No dysphagia  
by parat of the Recurrent. In double  
sided. very common.

III. Had 19. 16th June admitted  
12th June headache &c. Temp 41.2 - 41.3  
Looks ill - lies apathetic. Has a little diarrhoea  
anxious & restless body - dull. & a Typhus  
gustant - Stitches hypochondria - Rash on  
abdomen. Albuminuria. Stool purged invol.  
3 feces. a serous

Cerebral appearance does not show  
proportion to the Temp. Caland pneumonia.  
On 17th severe with high temp. 41.5 with  
systemic. Bacter 36 R. 20. & cold  
doubtless.

I Patient who 31.1.18 & 9 May was  
 put with intended pleuritic exudate  
 sectioned today. was incised &  
 washed out. Tuberculous process  
 possibly of an earlier puncture in men  
 had been made - 2 or 3 years more old.  
 30th. showed the

II Man with Ext. skin rash. (Pronas)  
 1 - a skin. case - 6 years. itches on  
 shoulders - not usual. Very extensive  
 symmetrical - spots of varied size. On head  
 confluent. Face also affected. Hands not  
 much affected. - No internal affe. no fever.  
 Chrysops. 1 + 30. + but skin par. warm bad.

III Woman. Mittelgros entschieden zu  
 above from. Febriles, and colour but  
 not plethoric. lungs - normal. Heart. not  
 to be percussed. Dyspnoea, great; appetite  
 good. No alcoholismus. Urine normal  
 On joints. Am. no pain or affe. On feet.  
 at home often been swollen - now not. H. still  
 & but very large. To be bisected out. - Very few  
 chemical anfalls, puncta. Dipomat. &  
 the of leg too affec. The fatty. Lungs contain  
 bit in concretion? no. In neck & mouth - no. In  
 suboral lipom. even in the tongue. The car  
 at small in Fett anhang in head. In Thorax  
 enlarged, curved in the direction of Pleura  
 costalis. In heart. - here probably - outside  
 in par. & oval. The small pulse - the  
 feeble pulsation. above. generalized here is  
 a fat heart. Cor adiposum of fat people  
 in intestine often the macular fat.

spreads over the edges of the dam  
What is the joint trouble? Is it Gicht?  
Hereditary - not - nor in Lebensweise of  
the patient. No lead trouble. But the  
Wendy-ben in one joint makes the  
diagnosis very probable. Good descrip-  
of a good attack - - - some pain in  
knee and - during the attack & after it  
more. - Arthritis urica

Suppurative case affec. - not usually reg as  
cranchit, but when too early. 2 yr. or 20  
yr old man. Menge of blood not not  
normal - less - in very fat people. - a poor  
blood. When a fat person, every 5th sleep  
thru is in the bed -

cures - 3 chief ones. English - Baulung.

Only veget. of Halli - - but nothing but flesh  
that what they would, but not beer.

Most of them - nervous. & the flesh diet  
not dyspeptic. & then given up.

Abelen. Man, not much flesh - carbonyl  
beated. Can eat fat, much & c. as  
much as they like. Based on the common  
whom. 3. Schellinger. treated young  
Bismuth. Artel of Munich is the

1st. That the man has what fat they have

2. no new fat

3. blood gave some alb.

4. Heart runs more rapidly

- a Gang Lebensweise. 1st. fr



Nitrogen pills - Eggs. brief 2 little fat  
not absol. forbidden - (3) Murderer Trinita  
her of Carlovsky - green - reg. it in large  
quantity - what most - is very little  
fluid - one of the most difficult things  
2 small cups of coffee - 2 sem.

again. People move about by  
a better current in veins & also to  
sweat - Gave amount of 8 lbs. (one of)  
Says even fat people get up mountains  
Batter - Turkish - or even Polocashin  
then in this case - where gout is  
present there cures very difficult


Took the class

29th

(1) Case of Small pox - oldest of infants, the  
most severe, the most extensive. 24 95 of  
of all men got it before vaccination. Prognosis  
not absolute in favor.

(2) Man 48 - for many years a loss  
of blood per rectum on March. the pain  
ceased. a diarrhoea - not much - having  
a less short breath. Looks pale & brown  
Pigment on skin of abdomen, <sup>a hard ship</sup> ~~Pigment~~  
Belly prominent, tense - not scrofulous  
no appetite - no vomiting - bowels - diarrhoea  
up to yesterday.  
Erat - many have fallen - In the rectum



cells man the rest in each wall & left wall  
a large man, circular, & in the middle  
a narrow canal. - Ulceration is -  
a carcinoma - about 2 inches above the  
anus. The diarrhea - above the  
narrow orifice the clamm is wide  
& a catarrh is excited & the colon catarrh  
is very common. In the way of the cancer  
diarrhea, such one found is rarely  
anything else. But cancer. The  
Belly  distension is Meteorism  
& perhaps - peritonitis - which may be  
associated with the carcinoma. With  
a tube the meteorism may be beneficial  
for the pain. Morph. Subcut. & for the  
thrust ice. May be painful to the art

III 3rd time of showing - 21st May  
8th June - & see again. Status gavisus  
Condition of peritonium. The dry pleura  
- a tuberculous of the serous membrane  
- possibly for a darrow ulcer. It is associated  
with a bubbling of bubbles & such as in severe cases  
of fluid as Cholera. & also in the  
tubercle particularly of peritonium. Pathology  
numerous & aculeatus. Belly full & tense  
The diag of Tub. periton not also rather, not  
highly probably. & the affect of the pleura may  
not be something. No bacilli in stools  
30. of the fluid not clear. Periton.

# Capillary Bronchitis.

IV. a child 4 years - always healthy  
for 4 weeks cough - got worse for 3 days  
at on tongue & mouth, severe laryngeal  
strawberry. Rattles, head back. A peculiar  
color of skin - cyanosis & a certain purplish  
grayish ashy. Grey blue color with  
edema. & the and appearance. & Co  
intermittent. - Peculiar breathing, frequent  
shr. and strength, with each inspir. the intercostal  
drawn in - The center & the drawing down

the cartilage - A disease which seriously  
impairs the - voice is not affected. & not much  
elevated. Pulse colored swollen. Res. also. & less  
grayish ashy. not after 20. Percussion, not  
dull at back, over whole thorax everywhere  
harsh & rough - Bronchitis universal. In the  
lung, common. ulcers. & in fact they also  
Mann Kamm an sub deuten - 1st Bronchitis  
(1) probably, whooping cough has been B1 what  
we have here, one of the most cough of K. R.  
Calm. Bronch & calm pneumonia. which  
explains the severe dyspnea. atelectasis.  
often not like diag by percussion.

Therapy: good food, - Meas & whooping cough of cap.  
(2) Good air - milk. (3) For Resp. <sup>large</sup> cold water &  
ing, 6 times. cold drinks - & get much warmer  
Better the apomorph. & opian.

July 2nd Specimen from Hungen, it large  
as a c. cruply. (2) in the l. a red brown & some red spots  
atelectasis. & in the other lung little some red & white  
& small pneumonia. a general bronchitis  
H. as a spec. by of red vent. very great. & fully over.

I Case of Scurbut. Shown on 13th  
better but plethoric and no spruings;  
shade of greenish. cure rest nutr.  
& etc.

II child with Syph. cut. hered.  
of last day with ~~any~~ large spleen & liver. 2 small large  
o. colonel. The skin rash  
better but the general condition not  
good.

III Specimen for cancer of rectum of  
last day. Peritonitis had killed him

IV. Case shown of 30th April. with peritonitis  
double pleuritis & pericard. Gradually  
relieved. after 17th June temp. irregular  
40-40.5. Very pale. yellow found  
a choroid. disseminated - usually  
with liver. In the whole process Syph.  
the disease was & it does not appear over  
whole serous membrane. May consider  
it as a case of tub. of serous membrane of  
abdom. as we not suppose for 2-3  
years chronic usually connective tissue  
are cancers.



(V.) Pleurisy. Left-sided pleurisy.

from the right side. on 16<sup>th</sup> June.  
L. canophila, Diapomora, of a tub. pleurog.  
a series of which extends to others &  
not dependant upon Mount High &c. No Bacilli  
found. when a fungus occurred in series  
the is pericard. the two & pericard. in lung  
of that side is doubtful

There 3 cases. but serum cant Pent-  
2 - Pleur. 3 Bone. 1

Probably the small lymph glands of  
about the perianth may be affected & grow  
in the perianth.

(11) Crystall. The same on 17th - better

vii 15 yrs. old. <sup>Eme</sup> Came on Gravel St. pained  
heavily - In heart with at school - 10 ph  
of 1st cy. and March. 22 May. the ch-  
est will come <sup>all</sup> altho heched, & then has  
lasted up during the night sleep. - Cakes  
but little food. Greatly wasted. Ex. an done  
finding anything. No fever.

Gaug. eye, very dis. (1) Sound eye  
unshar. & 2 & a deep lined expres-  
sion of the throat apper. Before the unshar  
there are 3 or four partly attenuated  
unsh. also more. All remarkably  
regular. In Throat, in Exp. the same  
& would in position.



Came say ah - & Pryer put his  
hand in mouth & used heart breath  
small snuff - & & then after she breath  
snuff again - & took water - Fresh  
contrast - took deep respiration - Lay down  
& vented going out - Spoke her name  
Had ever worked at school very much.

The child had become quite dyspnoeic  
no dist. of heart & lungs - the discovery  
was quite as if suffocated.

What form of dis of breath can it be brought?  
None - which we see - death in play.

An unknown cause in Larynx & phary -  
are they diseases - infl. or a replacement. etc  
are they of a sec. nature - as after a wound in  
the eye trouble which she had. Had & worked  
over the strength, sudden onset. The  
inner dist. of a nerve dis - is as Hysteria  
not ganz sicher - Dis of L. often in Hysteria  
spasm - so severe that think suffoc.

Keyst - labruming of glottis - & then (3) a no  
of inner dist. of heart work, coughing  
char. Uninterrupted may be - like a  
dog or like a dog or a wolf. Pharynx & Larynx  
(4) aphonia.

Not an improv. - a periculum vite  
9th the allent. dis. 13 7th 1st a regular  
shape of breath - at first hard - but per. -  
May throat - Gave a can cough for 10 months  
waste paper in her mouth. 7th 1st of throat. A cure  
in one day.

To Dr James Tyson 15-26 Apr A. P. M. 17/6/84

I have been in Germany since about 1st or 2nd April  
your letter reached me yesterday & I scolded you  
today "yes" meaning that I would  
accept the position if appointed to it. I  
~~have been away in Germany since April~~  
I will regret exceedingly leaving  
Munich but the temptation is naturally  
very great. If ever I feel exceedingly  
gratified that my name should even  
be mentioned in connection with the  
position and I can assure you that  
if appointed I shall not spare words  
in order to publish the date of the first  
catalogue. I suppose I need not send  
bulletins or anything like that. A lot  
my collected reports 1872-1882 is in the list  
of the American Museum & a list could readily  
be obtained.

The honorarium is just about what I get  
now at McGill but if ever as you say  
the position is to be commensurate I am only  
impatient to be heard.  
My respectful rendering 'cervical' as for  
the first 10 years I have

of the election takes place any time before Aug 7 the date  
I can cable me to 25 Russell Sq  
I want you to say yes or no the aff or neg  
mean the apprehension or not to the chair  
Let me know if I can do any

2nd Bd.

is

Wm. G. de P.



17/6/84. Telegraphed. Typing  
for Leipzig that I would accept  
nomination as Prof of Chem. Med.  
in the Univ of Pennsylvania

W. G. B.

28

15

15





Ca Ewald

31a Poldauer

chr. 3-7

Goldammer.

W Kemmishalzen.

24.11.

4-5

3 October Friday

Mr Wolff.

67 Behren Strasse

5 x 6

D Mc Carthy 14 Green Hill  
Ben W.

Giegler. 182. 304	17.50
Perts	24.40
Samuel	20
Cohenheim	33
Berthold Herschfeld.	10
Hadlender. Mech. Tek.	4
Forster Path Anat.	8.
Vorhauer. Section. Tek. K.	3
<del>Krafft Übung. Psychiatrie</del>	<del>10</del>
Vorhauer. Cell. Path.	14
	10/148.90
Thunfisch El de Path	47/137.60
Krankheiten des Herzens	1

Hessen-Leres brukt die 3  
 Kattes waren das Camer

R. — P

Hume <sup>adul.</sup> 10. 40-42

T

Hume 38.25 (37.6 bis 38.75)

OC 39°

Sheep 39.25 + 40.25

Huz 40.10 (39.5°)

Suz 38.10 (37.4 bis 40)

Pat 38.10



In der neunten Zahl der  
athemzug. Pulse

Pferd erwachsen 10) Haupt 23-35  
Kallach 35-38  
Stute 4-42

(neuborn 100-120  
1 Jahr 48 56  
2 Jahre 40-48

ohne  
IX 12-16 - 45-50

neuborn 92-132

1 Jahr 56 68

2 Jahre 56 64

sheep adult 20 (15-20) 70-80

Woz 10-12 60-80

Woz 15-20 80-120

Pankucki

Gull & Herdway  
Magam XXXVIII. 1872 -

Beitrage

address

15 College st.

Islington

Miss Hemmings

R  
P  
Haw } C/o W P Reynolds

24 Regent William st

D.C.

From Aug. 1882 -

St Michael's

Miss Luke 109 Jackson st.





1 Par Nepth. - or Mord. Strigil.

Fat-mel. not often present. but  
is so in this case


(2) Carcinoma gelatinosum  
Is it a Krebs? Whole group of  
gelatinous tumors. Increased by the  
Carcin. that new names have  
been added as Colloids & a name  
not sufficient but ~~Krebs~~ we have come  
into confusion. - & now as recently as  
we learn - a 2nd classification  
has led to the rep. of these for the  
the Carcin. - More local. like the  
Carcinoid: - May remain for a  
long time - is not so common  
Malignant in this case - That is  
in its nature - gives a bad prognosis

This embryonic analogies very good  
from. under the mother's womb & the  
rec. the columns



Lymph glands a sort of filter -  
 Sugars through the off. by m. m.  
 only - lymph. three blood a 3 -  
 inside dissemination - the  
 new production - as in Peritoneum -  
 it has the mages. & dissemination - no  
 spot in which is active dissemination  
 in the dis. where the part reach the  
 be taken grow in vesicle shells -  
 near the big of phallus & in the force  
 of the - . If man has a & without  
 hernia - then the front - get in  
 it is not get a dis. or column  
 in the column.

Total Kneep in tissue - whole  
 of case - over into the & of the  
 four in blood - no haemorrhage -




Cells are contained  
 & the pattern of  
 the parathyroid of the  
 alveoli x  
 The column body of the  
 Struma

3 Typh

4- Pachymeningitis haemorrhagica  
sub-acute.

Thick layers of men. with blood  
stain



*Apoplexia intermeningeal* of the

Hd - - no parietal layer of the  
arachnoid - an inflamed  
a p. m. fibrous

5 Hypertrophy of heart with dilated

Method for evol. coloring.  
(Fort. d. med; 1884. 6)

And in a  $\frac{1}{2}$  gent-violet solution  
The sections the examined, first in  
alcohol absol. - & then direct in the  
col. solution - in wh. they remain  
1-3 minutes, only Tubercle bacilli  
must 12-24 hours remain. Then  
in Iod. Kali solution (Iod. 1.0. Iod.  
Kali 2.0. Wasser 300) either before  
& after washing in alcohol! They  
remain 1-3 minutes in the Iod. sol.  
in which a deposit is produced  
& the sections have now a purple-violet  
color. Then in abs. alc. until the  
sections almost colorless. Change  
1 or 2 times. They of course get whiter  
they are rendered still more colorless.  
Then can also the sections in H<sub>2</sub>O -  
brown, or reserve for double staining  
& then again in alcohol. The bac. remain  
the & the gr. turn brown.  
In balsam or gly-gel. sect. remain  
unchanged mostly.



- or Merc. of al. endocand.
1. in Air at 1 Gent. pres.
  2. 10 to 60 " -
  3.  $\frac{1}{2}$  - 1 hr in abs. alcoh.
  4. " to dist. dilute acetic acid sol
  5. water -
  6. Alcohol -

Good preparations with it

Weigert's Methode Ker. zyst.

0.75 gram Hematoxylin

10 gm. alcohol.

90 cc  $H_2O$ . Zusammen  
emul. auf Kocht

Sections in it for 1 hour at  
ord. Temp. 45°C. Then in fluid consisting

of 4% Borax solution

5% Blau. solution

In this for  $\frac{1}{4}$  hr. enough  
for 1-12 hours. Then  
alcohol. Thymol. Balsam  
Harden in Methyl. & alcohol



# Pneumonia Roccus

7 Good specimen - fresh & in red stain

(1) with Gent violet - 2-4 hours  
dilute by and valch. - bad.

2 Methyl violet - not very good  
4 hours in

(3) G. blue splend - also faint

(4) Gent. V. & am. od. 1 hour  
at 45 & then in al. 33% or  
decolor - much better

26/

Fresh preparation: good case. B. Hap.

(1) Gent. violet & am. od. 1 hour at 40 c  
b, with 3rd solution - tolerably good  
2 case. not good.

(2) Same way but 24 hours in stain solution  
not good

Wergitz Nerve method

Double staining

(1) alcohol carmine - The nerve  
fibres are sulphur -

(2) Delphin carmine. Good -

(3) Alum carmine. Best (W says)

For muscle - First violet & an

hour. Wash with dilute  
alk & acid. Then stain  
in Bas brown

Bacilli. anthrax

10. in Gent v.

30<sup>th</sup> in alcoh ab.

5<sup>th</sup> milkent:

10 in alcoh.

5<sup>th</sup> in alcoh

Ulcerative Endocarditis

(1) Götter fluid. 10 mm & cream  
and 5% alcoh & stain but not over  
good. Subst. staining in little current good

(2) Gent violet. & cream & good sol.  
they wash out very much.

(3) Methyl violet & alcoh.

Good.

The Ehrlich - pla

3 gram Anilin oil.

100 gram Aqua destillata - filter.

1 gramme of Gent violet.

Put Gent. in a bottle & filter the

Anilin water -

When the Anilin is added must

use 6 - or 10 gm.



280 5 38 - Recent.

Nur. Rebeummen.

Robt Warren & Co

23 LaSalle St

Chicago

Wardson - N Y

Carter Phila

Bourneum - Boston

N Y. Dr Seguin

Peabody

Saltherswale

{ Putnam 70

Bost - { Shattuck - 9. & 7

Edes

Cutter

- Chadwick


Phil. Pepper

Wood

- Tyson

Meade Smith

Mrs. Woodruff -
















Macroscopic. Actinomyces

Greyish opaque striae or stripes  
often continuous - for 2-3 mm  
sometimes in short bits but raised.

So much so as a 14. Dumbly absorbing  
when beared out it appears like a  
faciculus of greyish material with  
or granular bodies  
spots of a more opaque nature.

IR from 42. M 1 1/2.

14 May - 1883 - not a. Inf  
of stomach - for before that  
noted then - all with it.  
attacks then as in the  
a glass - some gone to head.  
In Jan 2000 - sp in Feb 18  
From Middle - of March: attacks  
came in more fog - From  
Inf 83 attacks - run for  
Period of water. Jan + Middle  
of March - Now.

4 attacks in 2 days - 5" each  
attack - more & breath short.  
Keep on ready on one - - Memory  
bad after it. No far a little  
more sleep - No loss of power  
of speak - in all - speak - but  
seen not to be. It has been

Mr G. - a year ago in boat  
at wheel - he had an attack  
did not help the wheel.

Now it was the attack with the  
heart or stomach - Hands &  
forehead shining after the  
face pale as then - & looks badly  
last quite few minutes.  
In car since.

Disarrangement. & intubate  
got mean. Cut in abg ife <sup>in April</sup>  
X. is in an unstable condition. <sub>12.94</sub>

Intubate - Send a cure of food & alcohol  
Bury humble Christ  
Jesus - Anne Lanning. Lanning



W 7 William, Father  
Inf y letter - - -

15th - St - above water  
next to Burns ice cream  
store



